

Selected References

Disease Surveillance, Laboratory Diagnosis, Case Reporting

- Adjemian, JZ, J Krebs, E Mandel, and J McQuiston. 2009. Spatial clustering by diseases severity among Rocky Mountain spotted fever cases, 2001-2005. *Am. J. Trop. Med. Hyg.* 80:72–77.
- Centers for Disease Control and Prevention. 2006. Diagnosis and management of tickborne rickettsial diseases: Rocky Mountain spotted fever, ehrlichiosis, and anaplasmosis. *MMWR* 55 (RR-4), 27 p. (Available online at: http://www.cdc.gov/mmwr/indrr_2006.html).
- Crump, JA, JR Corder, NG Henshaw, and LB Reller. 2004. Development, implementation and impact of acceptability criteria for serologic tests for infectious diseases. *J. Clin. Microbiol.* 42:881–883.
- Georgia State Health Dept. 2007. Diagnostic testing for Rocky Mountain Spotted Fever: Unraveling the uncertainty. *Georgia Epidemiology Report* 23(4), 4 p. (available online at: <http://health.state.ga.us/pdfs/epi/gers/Apr07GER.pdf>).
- Marshall, GS. 2000. *Rickettsia typhi* seroprevalence among children in the southeast United States. *Pediatr. Infec. Dis. J.* 19:1103–1104.
- Marshall, GS, RF Jacobs, GE Schutze, H Paxton; for the Tick-Borne Infections in Children Study (TICS) Group. 2002. *Ehrlichia chaffeensis* seroprevalence in children living in the southeast and south central regions of the United States. *Arch. Pediatr. Adolesc. Med.* 156:166–170. (Available online at: <http://archpedi.ama-assn.org/content/vol156/issue2/index.dtl>).
- Marshall, GS, GG Stout, RF Jacobs, GE Schutze, et al.; and the Tick-Borne Infections in Children Study (TICS) Group. 2003. Antibodies reactive to *Rickettsia rickettsii* in children living in the southeast and south central regions of the United States. *Arch. Pediatr. Adolesc. Med.* 157:443–448. (Available online at: <http://archpedi.ama-assn.org/content/vol157/issue5/index.dtl>).
- Parola, P., M. B. Labruna, and D. Raoult. 2009. Tick-borne rickettsioses in America: Unanswered questions and emerging diseases. *Current Infect. Dis. Rep.* 11:40–50.
- Raoult, D. 2008. Rocky Mountain spotted fever in the USA: a benign disease or a common diagnostic error? *Lancet* 8:587–588.
- Walker, D and the Taskforce on Consensus Approach for Ehrlichiosis. 2000. Diagnosing human ehrlichioses: Current status and recommendations. *ASM News* 66:287–291.

Tick Ecology and Biology

- Diuk-Wasser, MA, AG Gatewood, MR Cortinas, S Yaremych-Hamer, et al. 2006. Spatiotemporal patterns of host-seeking *Ixodes scapularis* nymphs (Acari: Ixodidae) in the United States. *J. Med. Entomol.* 43:166-176.
- Eisen, L. 2007. A call for renewed research on tick-borne *Francisella tularensis* in the Arkansas-Missouri primary national focus of tularemia in humans. *J. Med. Entomol.* 44:389-397.
- Eisen, R and L Eisen. 2008. Spatial modeling of human risk of exposure to vector-borne pathogens based on epidemiological versus arthropod vector data. *J. Med. Entomol.* 45:181-192.
- Goddard, J and J Piesman. 2006. New records of *Ixodes scapularis* from Mississippi.

J. Vector Ecol. 31:421-422.

Piesman, J and L Gern. 2004. Lyme borreliosis in Europe and North America. J. Parasitol. 129:S191-S220.

Tick Bite Prevention and Tick Control

ASTHO. 2005. *Public Health Confronts the Mosquito*. Association of State and Territorial Health Officials. Washington DC. (available online at: www.astho.org/pubs/FinalReportPDF.pdf)

Tick Control Strategies

Ginsberg, HS and KC Stafford, III . 2005. Management of ticks and tick-borne diseases. In J.L. Goodman, D.T. Dennis, & D.E. Sonenshine (eds.) *Tickborne diseases of humans*. ASM Press, Washington, D.C. pp. 65-86

Piesman, J and L Eisen. 2008. Prevention of tick-borne diseases. Annu. Rev. Entomol. 53: 323-343. (available online at:

arjournals.annualreviews.org/doi/pdf/10.1146/annurev.ento.53.103106.093429)

Stafford, KC, III. 2007. *Tick Management Handbook, Revised Edition*. The Connecticut Agricultural Experiment Station, New Haven, CT. (available online at: www.ct.gov/caes/lib/caes/documents/publications/bulletins/b1010.pdf)

Tick Control and Tick-Bite Prevention

Burke G, SK Wikel , A Spielman , SR Telford, III , et al.; Tick-borne Infection Study Group. 2005. Hypersensitivity to ticks and Lyme disease risk. Emerg. Infect. Dis. 11:36-41. (available online at: www.cdc.gov/ncidod/EID/vol11no01/04-0303.htm)

Malouin R, P Winch, E Leontsini , G Glass, et al. 2003. Longitudinal evaluation of an educational intervention for preventing tick bites in an area with endemic Lyme disease in Baltimore County, Maryland. Am. J. Epidemiol. 157:1039-1051. (available online at: aje.oxfordjournals.org/cgi/reprint/157/11/1039)

Poland GA. 2001. Prevention of Lyme disease: a review of the evidence. Mayo Clin. Proc. 76:713-24. (available online at: www.mayoclinicproceedings.com/pdf%2F7607%2F7607r1.pdf)

Pathogen Ecology and Biology

Apperson, CS, B Engber, WL Nicholson, DG Mead, et al. 2008. Tick-borne diseases in North Carolina: Is "*Rickettsia amblyommii*" a possible cause of rickettsiosis reported as Rocky Mountain spotted fever? Vector-Borne Zoon. Dis. 8:597-606.

Billeter, SA, HL Blanton, SE Little, MG Levy, et al. 2007. Detection of "*Rickettsia amblyojmmii*" associated with a tick bite rash. Vector-Borne Zoon. Dis. 7:607-610.

Clark, K. 2004. *Borrelia* species in host-seeking ticks and small mammals in northern Florida. J. Clin. Microbiol. 42:5076-5086.

Clay, K, N Klyachko, D Grindle, D Civitello, et al. 2008. Microbial communities and interactions in the lone star tick, *Amblyomma americanum*. Molec. Ecol. 17:4371-4381.

Demma, LJ, M Traeger, WL Nicholson, CD Paddock, et al. 2005. Rocky Mountain spotted fever from an unexpected tick vector in Arizona. New Engl. J. Med. 353:587-594.

Galvão, MAM, JE Zavala-Velazquez, JE Zavala-Castro, CL Mafra, et al. *Rickettsia felis* in the Americas. Ann. NY Acad. Sci. 1078:156-158.

Goddard, J. 2003. Experimental infection of lone star ticks, *Amblyomma americanum* (L.), with *Rickettsia parkeri* and exposure of Guinea pigs to the agent. J. Med.

- Entomol. 40:686-689.
- Horta, MC, J Jonas-Moraes, RA Casagrande, TB Saito, et al. 2009. Experimental infection of opossums *Didelphis aurita* by *Rickettsia rickettsii* and evaluation of the transmission of the infection to ticks *Amblyomma cajennense*. Vector-Borne Zoon. Dis. 9:DOI: 1089/vbz.2008.0114.
- Labruna, MB, M Ogrzewalska, TF Martins, A Pinter, et al. 2008. Comparative susceptibility of larval stages of *Amblyomma aureolatum*, *Amblyomma cajennense*, *Rhipicephalus sanguineus* to infection by *Rickettsia rickettsii*. J. Med. Entomol. 45:1156-1159.
- Loftis, AD, TR Mixson, E. Stromdahl, MJ Yabsley, et al. 2008. Geographic distribution and genetic diversity of the *Ehrlichia* sp. from Panola Mountain in *Amblyomma americanum*. BMC Infect. Dis. 8:54 (Available online at: <http://www.biomedcentral.com/1471-2334/8/54>)
- Loftis, AD, ML Levin, JP Spurlock. 2008. Two USA *Ehrlichia* spp. cause febrile illness in goats. Vet. Microbiol. 130:398-402. (Available online from: <http://www.sciencedirect.com>)
- Moyer, PL, AS Varela, MP Luttrell, VA Moore IV, et al. 2006. White-tailed (*Odocoileus virginianus*) develop spirochetemias following experimental infection with *Borrelia lonestari*. Vet. Microbiol. 115:229-236.
- Oliver, JH, Jr., T. Lin, L. Gao, KL Clark, et al. 2003. An enzootic transmission cycle of Lyme borreliosis spirochetes in the southeastern United States. PNAS 100:11642-11646.
- Pérez-Osorio CE, JE Zavala-Velázquez, JE Zavala-Velázquez. 2008 *Rickettsia felis* as emergent global threat for humans. Emerg. Infect. Dis. DOI: 10.3201/eid1407.071656.
- Paddock, CD. 2005. *Rickettsia parkeri* as a paradigm for multiple causes for tick-borne spotted fever in the western hemisphere. Ann. NY Acad. Sci. 1063:315-326.
- Rudenko, N, M Golovchenko, L Grubhoffer, JH Oliver Jr. 2008. *Borrelia carolinensis* sp. nov. - a new (14th) member of *Borrelia burgdorferi* sensu lato complex from the southeastern United States. J. Clin. Microbiol. doi:10.1128/JCM.01183-08
- Stromdahl, E, MA Vince, PM Billingsley, NA Dobbs, et al. 2008. *Rickettsia amblyommii* infecting *Amblyomma americanum* larvae. Vector Borne Zoon. Dis. 8:15-24.
- Sumner, JW, LA Durden, G Goddard, E Stomdahl, et al. 2007. Gulf coast ticks (*Amblyomma maculatum*) and *Rickettsia parkeri*, United States. Emerg. Infec. Dis. 13:751-753.
- Varela-Stokes, AS. 2007. Transmission of bacterial agents from the lone star tick to white-tailed deer. J. Med. Entomol. 44:478-483.
- Wimberly, MC, AD Baer, MJ Yabsley. 2008. Enhanced spatial models for predicting the spatial distributions of tick-borne pathogens. Int. J. Health Geogr. 7:15 doi:10.1186/1476-072X-7-15.
- Yabsley, MJ, SM Murphy, MP Luttrell, SE Little, et al. 2008. Experimental and field studies of the suitability of raccoons (*Procyon lotor*) as hosts for tick-borne pathogens. Vector-Borne Zoon. Dis. 8:491-503.
- Yabsley, MJ, AD Loftis, SE Little. 2008. Natural and experimental infection of white-tailed deer (*Odocoileus virginianus*) from the United States with an *Ehrlichia* sp. closely related to *Ehrlichia ruminantium*. J. Wildl. Dis. 44:381-367.